

MIRANDA

Designed by
Faruk Malhan



VALUE PROPOSAL



Miranda is specially designed for multifunctional uses such as living and waiting areas and meeting rooms. Thanks to the integrated back and armrest design, a comfortable hugging feeling is felt while sitting. It is presented as an ideal choice for offices with its stylish appearance as well as comfort.

Miranda is specially designed for multifunctional uses such as living areas, meeting rooms and waiting areas. Different leg alternatives allow for different uses in office areas.

MIRANDA

Designed by **Faruk Malhan**

PRODUCTION TIME



6-8 weeks + Shipping

ASSEMBLY NOTES



The product is delivered assembled.

WARRANTY



The warranty period shall be two years as of the date of delivery of the product.

Any malfunction that arises out of such use of the product that is in breach of the requirements and specifications set forth within the relevant user's manual shall be excluded from the warranty scope.

Warranty does not include to customer's own fabric, leather, or other materials.

CLEANING & MAINTENANCE



Clean with damp cloth with no chemical agents.

The maintenance and cleaning instructions for fabric, wood, marble, glass, metal and plastic used in our products are available in the cleaning and maintenance manual.

* Please scan the QR code to see the cleaning and maintenance manual.



COLORS & MATERIALS



Seat: Selected fabrics or leathers

Base: Powder coated or polished aluminum, powder coated metal, or selected wood wrapped around metal structure depending on the model

Legs: Solid ash, chrome plated aluminum, powder coated aluminum, or powder coated metal depending on the model

Glides: Plastic glides for metal legs, felt glides for wooden legs

Miranda Chair series supports following upholsteries of the Koleksiyon colours and materials catalogue. Please scan the QR code to see the fabric information.



Fabrics	Leathers*
A FK028 Armoni Polo İstanbul	E Reflect Onix Iseo Matera Remix 3 Clara 2
B Austin Era Alba	F Twin Credo Chic Mirage Massa Velvety Craggan Oceanic Memory 2 Encircle Steelcut Trio 3
C Jeans Jet Rivet Torino Furnilana Antares	Genuine Leathers A Genuine Leathers B Genuine Leathers C Artificial Leathers Vita Artificial Leathers
D Gina Duke Synergy Main Line Flax	*Models with quilted upholstery are only available in leather.

Wood Finish



10371
WHITE OAK
Natural Finish



10766
SMOKE OAK
Natural Finish

Metal Finish



CHROME



RAL7021
ANTHRACITE



Task Chairs

Page 5



MEETING CHAIR
BM



OP CHAIR
BM



RESTING CHAIR
WOODLEG



RESTING S N AA K 420



VISITOR CHAIR
BP



VISITOR CHAIR
BT



VISITOR CHAIR C LEG



VISITOR CHAIR
CONICALPIPELEG



VISITOR CHAIR
WOODLEG K



VISITOR CHAIR
WOODLEG



VISITOR CHAIR UA K



VISITOR CHAIR UA



VISITOR Q ML



VISITOR METALLEG



VISITOR CHAIR FXD



VISITOR Q METALLEG
WLC



VISITOR METALLEG
WLC

Visitor Chairs

Page 6-13

OP: Task Chair **DV, SV:** Visitor Chair

ALS: Aluminum Star Base **SCH:** Chrome Star Base **SL:** Steel Leg **WL:** Wood Leg **SB:** Sled Base **AA:** Wood Leg


BFM: Basic Fixed Mechanism **BM:** Basic Mechanism

WLC: Wood Veneer Over Metal **UA:** Unica Base

TECHNICAL DRAWINGS



MEETING CHAIR BM



0.37 m³ 13.6 kg
13.07 cbft³ 29.98 lbs

Dimensions:

- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 681 mm / 26.8"
- Overall Height:** 875 mm / 34.4"
- Arm Height:** 678 mm / 26.6"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 460 mm / 18.1"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.


For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Chrome plated column and polished aluminum five-star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify

OP CHAIR BM



0.36 m³ 13.65 kg
12.71 cbft³ 30.09 lbs

Dimensions:

- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 682 mm / 26.8"
- Overall Height:** 862-917 mm / 33.9- 36.10"
- Arm Height:** 665-746 mm / 26.1- 29.3"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 446- 521 mm / 17.56 - 20.51"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- Height adjustment mechanism
- Chrome plated column and polished aluminum five-star base
- Soft floor compatible brake unloaded plastic


*Casters for hard floor use are available, please specify and order separately.

TECHNICAL DRAWINGS



VISITOR CHAIR CONICALPIPELEG

1 pcs
0.33 m³
11.65 cbft³ 12.1 kg
26.68 lbs



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 575 mm / 22.6"
- Overall Height:** 897 mm / 35.3"
- Arm Height:** 700 mm / 27.6"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm²/ 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- 4-leg chrome plated steel base, or 4-leg anthracite powder coated steel base, comes with plastic glides



VISITOR CHAIR C LEG

1 pcs
0.32 m³
11.03 cbft³ 14.1kg
31.08 lbs



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.5"
- Overall Height:** 895 mm / 35.2"
- Arm Height:** 698 mm / 27.4"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm²/ 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Cantilever base is chrome plated or powder coated metal and comes with plastic glides



TECHNICAL DRAWINGS



VISITOR CHAIR BT

1 pcs
0.32 m³ 11.30 cbft³ 14.1 kg 31.09 lbs



Dimensions:

- Overall Width:** 614 mm / 24.1"
- Overall Depth:** 578 mm / 22.7"
- Overall Height:** 874 mm / 34.4"
- Arm Height:** 676 mm / 26.6"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 455 mm / 17.9"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- No height adjustment
- Powder coated tubular metal pyramid base, comes with black plastic glides
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.

VISITOR CHAIR BP

1 pcs
0.32 m³ 11.30 cbft³ 14.1 kg 31.09 lbs



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.5"
- Overall Height:** 875 mm / 34.4"
- Arm Height:** 678 mm / 26.6"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 467 mm / 18.3"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is powder coated tubular metal and comes with black plastic glides

TECHNICAL DRAWINGS



RESTING CHAIR WOODLEG



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 603 mm / 23.7"
- Overall Height:** 801 mm / 31.5"
- Arm Height:** 630 mm / 24.8"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 420 mm / 16.5"


For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- The solid wood 4-leg base comes with felt glides

RESTING CHAIR WOODLEG K



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 611 mm / 24"
- Overall Height:** 801 mm / 31.5"
- Arm Height:** 631 mm / 24.8"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 420 mm / 16.5"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- The solid wood 4-leg base comes with felt glides
- Quilted upholstery only available in leather

TECHNICAL DRAWINGS



VISITOR CHAIR WOODLEG



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 577 mm / 22.7"
- Overall Height:** 895 mm / 35.2"
- Arm Height:** 698 mm / 27.4"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"

For COM: Customer's Own Material

2 meters / 2.19 yards of fabric required.


For COL: Customer's Own Leather

350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- The solid wood 4-leg base comes with felt glides

VISITOR CHAIR WOODLEG K



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 577 mm / 22.7"
- Overall Height:** 895 mm / 35.2"
- Arm Height:** 698 mm / 27.4"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"

For COM: Customer's Own Material

2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather


350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- The solid wood 4-leg base comes with felt glides
- Quilted upholstery only available in leather



VISITOR CHAIR UA



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 602 mm / 23.7"
- Overall Height:** 842 mm / 33.1"
- Arm Height:** 671 mm / 26.4"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 460 mm / 18.1"


For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is powder coated aluminum and comes with black plastic glides

VISITOR CHAIR UA K



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 602 mm / 23.7"
- Overall Height:** 842 mm / 33.1"
- Arm Height:** 671 mm / 26.4"
- Seat Width:** 526 mm / 20.8"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 460 mm / 18.1"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is powder coated aluminum and comes with black plastic glides
- Quilted upholstery only available in leather

TECHNICAL DRAWINGS



VISITOR ML



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.5"
- Overall Height:** 888 mm / 34.9"
- Arm Height:** 691 mm / 27.2"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"


For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is powder coated metal and comes with black plastic glides

VISITOR Q ML



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.5"
- Overall Height:** 888 mm / 34.9"
- Arm Height:** 691 mm / 27.2"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 480 mm / 18.9"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is powder coated metal and comes with black plastic glides
- Quilted upholstery only available in leather



VISITOR METALLEG WLC

1 pcs
0.32 m³
11.30 cbft³ 16 kg
35.27 lbs



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.6"
- Overall Height:** 888 mm / 34.9"
- Arm Height:** 691 mm / 27.2"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 478 mm / 18.8"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Pyramid base is metal covered in solid wood with selected finish, and comes with black plastic glides
- Comes with plastic glides

VISITOR Q METALLEG WLC

1 pcs
0.32 m³
11.30 cbft³ 16 kg
35.27 lbs



Dimensions:

- Overall Width:** 630 mm / 24.8"
- Overall Depth:** 572 mm / 22.6"
- Overall Height:** 888 mm / 34.9"
- Arm Height:** 691 mm / 27.2"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 478 mm / 18.8"

For COM: Customer's Own Material
2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather
350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- No height adjustment
- Pyramid base is metal covered in solid wood with selected finish, and comes with black plastic glides
- Quilted upholstery only available in leather



VISITOR CHAIR FXD

1 pcs
0.40 m³ 13.5 kg
14.13 cbft³ 29.76 lbs



Dimensions:

- Overall Width:** 700 mm / 27.5"
- Overall Depth:** 669 mm / 26.3"
- Overall Height:** 850 mm / 33.4"
- Arm Height:** 679 mm / 26.7"
- Seat Width:** 526 mm / 20.7"
- Seat Depth:** 484 mm / 19"
- Seat Height:** 464 mm / 18.3"

For COM: Customer's Own Material

2 meters / 2.19 yards of fabric required.

For COL: Customer's Own Leather

350 dm² / 37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with polyurethane shell
- Swivel mechanism base
- Chrome plated column and polished aluminum five-star base with fixed glides

∴ koleksiyon