

COLOURS & MATERIALS

FABRICS

COLOURS & MATERIALS



FABRIC A



Task Seating




Lounge Seating




Panels

Fabric A FK028


Brand:
Mega Tekstil




10000013960, FK028, COL 92



10000013959, FK028, COL 52




10000013963, FK028, COL 13



10000013968, FK028, COL 25




10000013958, FK028, COL 60




10000013966, FK028, COL 86




10000013962, FK028, COL 07




10000013965, FK028, COL 18




10000013957, FK028, COL 66




10000013961, FK028, COL 83



10000013964, FK028, COL 15



10000013967, FK028, COL 41



10000013956, FK028, COL 69

Composition: 100% PES
Weight: 430 gr / mtul
Width: 140 cm
Abrasion Resistance: 50.000 Martindale (EN ISO 12947-1,2)
Pilling: 5 (EN ISO 12945-2 (2.000 T))
Light Fastness: -
Fastness to Rubbing: -
Seam Opening: EN ISO 13936-2(180N): WARP: 2,0 mm
 EN ISO 13936-2(180N): WEFT: 3,50 mm
Maintenance: Excess dirt should be removed immediately with a dry cloth.
 Simple stains should be dabbed with distilled water and a cotton cloth.




Task Seating




Panels

Fabric A Crepe

Brand:
Plasmen




10000013394, CR-110




10000013638, CR-180




10000013532, CR-170



10000013395, CR-160




10000013397, CR-230



10000013398, CR-240



10000012523, CR-060



10000013617, CR-050



10000013636, CR-010



10000013637, CR-090



10000013396, CR-200

Composition: 100% Polyester
Weight: (+/-% 8) 310 gr / m2
Width: 140 cm ±5 cm
Abrasion Resistance: 100.000
Pilling: 4
Light Fastness: -
Fastness to Rubbing: Wet: 4-5, Dry: 4-5
Maintenance: Wipe clean with a damp cloth.
Colour Matching: Batch to batch variations in shade may occur within commercial tolerances.



Task Seating




Lounge Seating




Panels

Fabric A İstanbul


Brand:
Plasmen




10000015254, 101




10000015255, 103



10000015256, 104



10000015257, 105




10000015258, 107




10000015259, 110




10000015260, 111




10000015261, 112




10000015262, 114



10000015263, 115




10000015264, 116



10000015265, 118



10000015266, 119



10000015267, 120



10000015268, 122



10000015269, 123

Composition: 100% Polyester

Weight: 263 gr/m2 (±% 5)

Width: 140 CM. (±% 5)

Abrasion Resistance: 61,000 (ISO 12 947-2 Pressure 12 KPA)

Pilling: 4 (ISO 12 945-2)

Fastness to Rubbing: Wet: 4-5, Dry: 4-5 (ISO 105x12)

Light Resistance: 5 (ISO 105 B02)

Maintenance: Wipe with a damp cloth.

Color Matching: Shade difference is within world standards.




Lounge Seating

Fabric A Armoni


Brand:
Üçgül



10000014940, 154-33



10000014942, 154-05




10000014943, 154-11




10000014944, 154-41




10000014945, 154-22




10000014946, 154-54




10000014947, 154-46



10000014948, 154-55




10000014949, 154-16




10000014950, 154-30




10000014951, 154-37




10000014952, 154-13




10000014953, 154-23



10000014954, 154-12



10000014955, 154-50



10000014956, 154-27

Composition: 100% PES

Weight: 490 gr / m2

Width: 140 cm

Abrasion Resistance: 40,000

Flammability: -

Light Fastness: -

Color Matching: -

Pilling: 4-5

Fastness to Rubbing: -

Maintenance: Dry cleaning is recommended.

Environment: -




Task Seating

Fabric A Polo


Brand:
Üçgül




10000014929, 149-01




10000014930, 149-18




10000014931, 149-23




10000014932, 149-22



10000014933, 149-32



10000014934, 149-34




10000014935, 149-09




10000014936, 149-12



10000014937, 149-13



10000014938, 149-16



10000014939, 149-15

Composition: 68% PES. - 32% CO.

Weight: 550 gr / m2

Width: 140 cm

Abrasion Resistance: 30,000

Flammability: -

Light Fastness: -

Color Match: -

Pilling: 4-5

Fastness to Rubbing: -

Maintenance: Dry cleaning recommended.

Environment: -



Cushion




Pouf

Fabric A Sole


Brand:
Üçgül




10000014957, 201-01




10000014958, 201-02




10000014959, 201-03



10000014960, 201-06



10000014961, 201-05



10000014962, 201-04

Composition: %100 PES.

Weight: 520 gr / m2

Width: 140 cm

Abrasion Resistance: 24.000

Flammability: -

Light Fastness: 4

Color Match: -

Pilling: 4-5

Fastness to Rubbing: -

Maintenance: Kuru temizleme önerilir.


Environment: -

FABRIC B




Fabric B Valor

Brand: Plasmen



Composition: 100% Polyolefin
Weight: (+/- 5%) 297 gr / m²
Width: 140 cm - 160cm
Abrasion Resistance: 42,000
Pilling: 4
Flammability: BS EN 1021-1: (Cigarette) (CMHR 35), BS EN 1021-2: (Match) (CMHR 35)
Light Fastness: -
Fastness to Rubbing: Wet: 4-5, Dry: 4-5
Maintenance: Wipe clean with a damp cloth.
Environment: Shade difference is within world standards.



Fabric B Alba

Brand: Fidivi



Composition: 100% Polyester
Weight: 320g/m² ±5%
Width: 140 cm
Abrasion Resistance: 100,000 ±10 %
Pilling: 5 (ISO 12945-2)
Flammability: UNI 9175 Class 1 IM, EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, California TB117
Light Fastness: 6 (ISO 105-B02)
Fastness to Rubbing: Wet: 4, Dry: 4 (ISO 105 - X12)
Maintenance: Washable at 60 degrees. Should be cleaned regularly with a vacuum cleaner. Can be cleaned by wiping with a damp cloth or washed with a special upholstery shampoo.
Environment: Oeko-Tex® 100 certified



Task Seating



Lounge Seating



Panels



Medium Hazard
(with treatment)

Fabric B Era


Brand:
Camira




10000012822, CSE14



10000012821, CSE13




10000012438, CSE11




10000012849, CSE02




10000012848, CSE01




10000012433, CSE16



10000012442, CSE07




10000012432, CSE03



10000012431, CSE05




10000012429, CSE06




10000012850, CSE19




10000012430, CSE17



10000012441, CSE15




10000012437, CSE12




10000012435, CSE10




10000012851, CSE09




10000012436, CSE20




10000012693, CSE21



10000014416, CSE 42




10000013720, CSE26




10000013721, CSE25



10000013723, CSE34




10000013872, CSE 27




10000013934, CSE43

Fabric B Era


Brand:
Camira




10000013935, CSE 24



10000013936, CSE 36



10000014413, CSE 33



10000014414, CSE 35

Composition: 100% Polyester

Width: 140 cm minimum

Weight: 320 g/m² ±5% (448 g/lin.m ±5%)

Abrasion Resistance: Heavy duty / 10 year guarantee, Independently certified to ≥100,000 Martindale cycles

Flammability: EN 1021 - 1 (cigarette),
EN 1021 - 2 (match) BS 7176 Low Hazard,
EN 13501-1 Adhered Class B, s1, d0,
EN 13501-1 Un-adhered Class C, s1, d0

Light Fastness: 5 (ISO 105 - B02)

Fastness to Rubbing: Wet: 4, Dry: 4 (ISO 105 - X12)

Bleach Cleanable: ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

Maintenance: Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo. For deeper cleaning use steam, bleach, alcohol or professionally dry clean. Can be washed at 60°C.


Environment: Certified to OEKO-TEX®



Lounge Seating

Fabric B Savana

Brand: Epengle



10000014643, 65395



10000014644, 65396




10000014645, 65398




10000014646, 65397




10000014647, 65714



10000014648, 62994




10000014649, 62871




10000014650, 62996




10000014652, 62984




10000014653, 62873




10000014654, 65715




10000014655, 63001



10000014656, 62980




10000014657, 63003



10000014658, 63009



10000014659, 63015



10000014660, 66861

Composition: 70.7% PES, 29.3% VIS

Weight: 430 g/m²

Width: 140 cm ± 2 cm

Abrasion Resistance: 50,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: 4-5

Color Matching: Minor tone differences may occur.

Pilling: 4-5

Maintenance: Due to the nature of velvet fabric, it is mandatory to use a lining when upholstering. Detergents, bleach and chemical compounds should never be used when cleaning the fabric. It should be wiped with soft soap, white soap or special shampoos in the direction of the pile, left to dry and should not be sat on until it dries. Fabrics should not be exposed to continuous sunlight. Direct contact with pets should be prevented.

Environment: -




Lounge Seating

Fabric B Austin


Brand: Fabrimare




10000014668, BP11-02



10000014669, BP04-01




10000014670, BP04-02




10000014672, BP07-01




10000014673, BP01-02




10000014674, BP05-02




10000014676, BP03-04




10000014677, BP07-04




10000014678, BP05-04




10000014679, BP04-04



10000014680, BP12-03



10000014681, BP13-02



10000014682, BP08-01

Composition: 60% PES, 40% PP

Weight: -

Width: 140 cm

Abrasion Resistance: 30,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4

Environment: -

FABRIC B+



Lounge Seating

Fabric B+ Farinoso


Brand:
Fabrimare




10000014699, 31-01




10000014700, 14-01



10000014701, 108-03



10000014702, 146-01




10000014703, 146-02



10000014704, 141-01



10000014705, 141-02



10000014706, 142-02

Composition: 81% PES, 19% PAN

Weight: -

Width: 140 cm

Abrasion Resistance: 35,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5

Environment: -

FABRIC C



Task Seating



Lounge Seating



Panels




Medium Hazard
(with treatment)



Environmentally

Fabric C Rivet


Brand:
Camira




10000012857, EGL08




10000012858, EGL33




10000012859, EGL32




10000012860, EGL12




10000012862, EGL13




10000012861, EGL09




10000012863, EGL14




10000012865, EGL31




10000012864, EGL10




10000012866, EGL07




10000012790, EGL23




10000012787, EGL24




10000012788, EGL35




10000012789, EGL16



10000012867, EGL50



10000012846, EGL26



10000012786, EGL37

Composition: 100% Repreve Recycled Polyester

Weight: 280g/m2 ±5%

Width: 140cm

Abrasion Resistance: 80.000

Flammability: EN 1021 - 1 (cigarette), EN 1021 - 2 (match), BS 7176 Low Hazard, UNI 9175 Classe 1 IM

Fastness to Rubbing: Wet: 4, Dry: 4 (ISO 105-X12)

Light Fastness: 6

Bleach Cleanable: ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution.

Maintenance: Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo. For deeper cleaning use steam, bleach, alcohol or professionally dry clean. Can be washed at 60°C. Full details can be found in our cleaning and disinfection guide.

ColourMatching: -

Environment: Certified to the EU, Ecolabel Certified to Indoor Advantage Gold,

Made from 100% post-consumer recycled polyester.



Task Seating



Lounge Seating




Panels




Cigarette & Match

Fabric C Furnilana


Brand:
Özlem Tekstil




10000013387, MD30420A




10000013678, MD30421D



10000013679, MD20211A



10000013390, MD50719F



10000013381, ANTRACIDE




10000013392, MD30436H




10000013391, MD40138B




10000013627, MD70410E




10000013680, MD117446



10000013389, MD60400A



10000013614, MD60421A




10000013626, GREY




10000013611, 50558A




10000013383, MD10677A




10000013386, MD20205A




10000013681, 20210A



10000013373, 90423A



10000013385, MD20214A



10000013682, 90426A

Composition: 80% Virgin wool, 20% polyamide. Non metallic dye stuff

Weight: -

Width: 140 cm

Abrasion Resistance: 50.000 martindale (ISO 12947-2:1998)

Pilling: 4/5 (ISO 12945:2:2000)

Flammability: BS EN 1021-1:2006 Cigarette) BS EN 1021-2:2006 Match)

Light Fastness: 5 (BS EN ISO B02:1999)

Fastness to Rubbing: Dry:4/5 (BS EN ISO 105x 12:2002)

Wet: 4/5 (BS EN ISO 105 x 12:2002)

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.



Task Seating




Lounge Seating




Panels

Fabric C Torino


Brand:
Fidivi




10000014582, 9201




10000014585, 9111




10000014526, 9801




10000014500, 9808




10000014591, 9838




10000014529, 9707




10000014528, 9717




10000014593, 9702




10000014530, 9602




10000014594, 9312




10000014546, 9416




10000014527, 9306




10000014525, 9501



10000014584, 9406



10000014592, 9611



10000014583, 9616

Composition: 100% Polyester Trevira Cs

Weight: ± 5 % 365 g/lm (EN 12127)

Width: ± 2 % 140 cm

Abrasion Resistance: ± 10 % 70.000 martindale (ISO 12947-2)

Pilling: 5 (ISO 12945-2)

Flammability: UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1, NF 92501-7 Class M1, NF D 60013 Class AM18

EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, EN 13773 Class 1, OENORM 3800-1 Class B1,Q1,TR1,

California TB117, USA NFPA 701, USA NFPA 260, IMO Part 8 Upholstery

Light Fastness: 6 ISO 105-B02 (Xenotest)

Fastness to Rubbing: 4/5 ISO 105-X12



Task Seating




Lounge Seating



Panels

Fabric C Jeans


Brand:
Fidivi




10000014573, 9427




10000014537, 9488



10000014536, 9430



10000014532, 9320




10000014600, 9390



10000014596, 9810




110000014597, 9807




10000014578, 9141




10000014599, 9110




10000014531, 9125




10000014595, 9753




10000014535, 9741




10000014501, 9726



10000014533, 9708



10000014576, 9637



10000014598, 9631



10000014534, 9504

Composition: 100% Polyester Trevira Cs

Weight: ± 5 % 380 g/lm (EN 12127)

Width: ± 2 % 140 cm

Abrasion Resistance: ± 10 % 75.000 martindale (ISO 12947-2)

Pilling: 4/5 (ISO 12945-2)

Flammability: UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1, NF 92501-7 Class M1, NF D 60013 Class AM18 EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, EN 13773 Class 1, OENORM 3800-1 Class B1,Q1,TR1, California TB117, USA NFPA 701, USA NFPA 260, IMO Part 8 Upholstery

Light Fastness: 6 ISO 105-B02 (Xenotest)

Fastness to Rubbing: 4/5 ISO 105-X12 (Crockmeter Wet-Dry)

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.



Task Seating




Lounge Seating




Panels

Fabric C Jet


Brand:
Fidivi




10000014569, 9401




10000014504, 9404




10000014506, 9301




10000014515, 3036



10000014512, 3090




10000014507, 9501




10000014586, 9606




10000014544, 6013




10000014511, 9601




10000014516, 6056




10000014510, 9609




10000014509, 9610




10000014498, 9702




10000014499, 9701




10000014513, 7034




10000014517, 9703



10000014545, 9305



10000014508, 9304



10000014514, 3019

Composition: 100% Polyester Trevira Cs

Weight: ± 5 % 365 g/lm (EN 12127)

Width: ± 2 % 140 cm

Abrasion Resistance: ± 10 % 65.000 martindale (ISO 12947-2)

Pilling: 5 (ISO 12945-2)

Flammability: UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1, NF 92501-7 Class M1, NF D 60013 Class AM18 EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, EN 13773 Class 1, OENORM 3800-1 Class B1,Q1,TR1,

California TB117, USA NFPA 701, USA NFPA 260, IMO Part 8 Upholstery

Light Fastness: 6 ISO 105-B02 (Xenotest)

Fastness to Rubbing: 4/5 ISO 105-X12 (Crockmeter)

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.




Lounge Seating

Fabric C Antares


Brand:
Penelope



10000010932, 32720




10000010934, 32800



10000010929, 32741



10000010933, 32790



10000015313, 32730



10000015314, 32760

Composition: 27% Cotton, 36% Acrylic, 37% Polyester

Weight: 558.64 g/m2

Width: 140 cm

Abrasion Resistance: 30.000

Light Fastness: 5

Pilling: 5

Fastness to Rubbing: 4-5

Maintenance: Dry cleaning is recommended.

Colour Matching: Within international tolerance limits.

FABRIC D



Task Seating



Lounge Seating




Panels




Environmentally

Fabric D Main Line Flax


Brand:
Camira




10000012905, MLF18




10000012900, MLF23




10000012909, MLF32




10000012897, MLF17




10000012896, MLF13




10000012895, MLF01




10000012819, MLF22




10000012901, MLF40



10000012898, MLF02




10000012907, MLF34




10000012820, MLF19




10000012910, MLF36




10000012899, MLF14




10000013519, MLF31



10000013769, MLF10



10000014401, MLF07



10000014405, MLF25



10000012833, MLF16

Composition: 70% Virgin Wool, 30% Flax

Weight: 437 g/m2

Width: 140cm

Abrasion Resistance: 50.000

Flammability: EN 1021 - 1 (cigarette), EN 1021 - 2 (match) BS 7176 Low Hazard, BS 5852 Ignition Source 5 BS 7176 Medium

Hazard, NF D 60-013, ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam), UNI 9175 Classe 1 IM

BS 5867-2: Type B Curtains & Drapes, IMO FTP Code (Part 8), The Furniture and Furnishing (Fire Safety),

Regulations 1988 (UK domestic cigarette and match)

Light Fastness: 5

Fastness to Rubbing: Wet: 3, Dry: 4 (ISO 105-X12)

Maintenance: Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo. For deeper cleaning use steam or professionally dry clean. Full details can be found in our cleaning and disinfection guide.

Colour Matching: -

Environment: Certified to the EU Ecolabel, Certified to Indoor Advantage™ Gold, Rapidly renewable and compostable, Made from wool and bast fibre.



Task Seating



Lounge Seating




Panels




Drapery

Fabric D Synergy


Brand: Camira




10000012844, LDS56



10000012921, LDS55



10000012920, LDS57




10000012791, LDS62



10000012524, LDS59




10000012919, LDS67



10000012918, LDS64



10000012929, LDS33




10000012795, LDS17




10000012930, LDS32




10000012843, LDS61




10000012794, LDS50




10000012932, LDS60




10000012922, LDS51



10000012923, LDS52



10000012924, LDS53




10000012793, LDS68




10000012928, LDS48



10000012931, LDS34




10000012796, LDS16



10000012797, LDS08



10000012969, LDS27




10000012925, LDS46




10000012926, LDS28



10000012927, LDS44



10000012912, LDS73




10000012845, LDS76



10000012914, LDS84

Fabric D Synergy


Brand: Camira




10000012672, LDS42




10000012917, LDS36



10000012915, LDS86




10000012916, LDS80



10000012913, LDS81



10000012823, LDS87



10000012824, LDS85

Composition: 95% Virgin Wool, 5% Polyamide

Weight: 400g/m2 ±5%

Width: 140 cm

Abrasion Resistance: 100.000

Pilling: Wet: 4, Dry: 4 (ISO 105 -X12)

Light Fastness: 5

Fastness to Rubbing: Wet: 4, Dry: 4 (ISO 105-X12)

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Colour Matching: -

Environment: EU Ecolabel Certified


Flammability: EN 1021 -1 Cigarette, EN 1021 -2 Match, NF D 60-013, EN 13501-1 Adhered Class D, s1, d0, EN 13501-1 Un-adhered Class E, s2, d0, EN 13501-1 Adhered Class B, s1, d0 when FR treated, EN 13501-1 Un-adhered Class D, s2, d0 when FR treated, BS 5867 : Part 2 : Type B Curtains & Drapes when FR treated, BS 7176 Low Hazard, UNI 9175 Classe 1 IM, ÖNORM B 3825 & A 3800-1, BS 7176 Medium Hazard when FR treated, BS 5852 Ignition Source 5 when FR treated




Lounge Seating

Fabric D Mood


Brand: Fabrimare




10000014711, 986



10000014713, 992




10000014714, 989




10000014715, 987



10000014716, 599



10000014717, 991



10000014718, 993

Composition: 60% COT, 40% PES

Weight: -

Width: 140 cm

Abrasion Resistance: 40,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5

Environment: -




Lounge Seating

Fabric D Duke


Brand: Fabrimare




10000014760, 04




10000014761, 13



10000014763, 01



10000014764, 09



10000014765, 02

Composition: %49 PL, %33 CO, %18 VIS

Weight: -

Width: 140 cm

Abrasion Resistance: 30,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5

Environment: -




Lounge Seating

Fabric D Gina


Brand: Fabrimare




10000014752, TN7BG



10000014753, J548




10000014754, X3L4




10000014755, T738




10000014756, CE19



10000014757, V538



10000014758, C638



10000014759, 1084

Composition: %65 PAN %35 PL

Weight: -

Width: 140 cm

Abrasion Resistance: 30,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5


Environment: -

FABRIC E




Fabric E Iseo

Brand: Fidivi




Composition: 100% Polyester
Weight: 490 g / m2 -685 g/lm
Width: 140cm
Abrasion Resistance: 80.000
Flammability: EN 1021/1-2
 NF D 60013 (AM 18)
 IMO A 652 (16)
 IMO A 471 (12)
 BS 7176 Medium Hazard
Light Fastness: 6
Fastness to Rubbing: 4-5
Maintenance: Wipe clean with a damp cloth.



Fabric E Matera

Brand: Fidivi



Composition: 100% Polyester Trevira Cs
Weight: ± 5 % 770 g/lm (EN 12127)
Width: ± 2 % 140 cm
Abrasion Resistance: ± 10 % 100.000
 martindale (ISO 12947-2)
Pilling: 5 (ISO 12945-2)
Flammability: UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1, NF 92501-7 Class M1, NF D 60013 Class AM18
 EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, EN 13773 Class 1, OENORM 3800-1 Class B1,Q1,TR1,
 California TB117, USA NFPA 701, USA NFPA 260, IMO Part 8 Upholstery
Light Fastness: 6 ISO 105-B02 (Xenotest)
Fastness to Rubbing: 4/5 ISO 105-X12 (Crockmeter Wet-Dry)
Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.




Task Seating




Lounge Seating

Fabric E Clara 2


Brand:
Kvadrat




10000015384, 148



10000015385, 244



10000015386, 423



10000015387, 793

Composition: 92% Wool, 8% Nylon

Weight: 400 g/lin.m, 12.9 oz/ly

Width: 138 cm, 54 in.

Abrasion Resistance: 80,000 Martindale, EN ISO 12947

Pilling: Dry 4-5 ISO 105-X12, Wet 4-5 ISO 105-X12

Flammability: AS/NZS 3837, BS 5852 crib 5 with treatment *, BS 5852 part 1, EN 1021-1/2, IMO FTP

Code 2010 Part 8, NF D 60 013, NFPA 260, ÖNORM B1/Q1, UNI 9175 1IM, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -

Maintenance: Should be cleaned regularly with a vacuum cleaner.

Can be cleaned by professional dry cleaning or by wiping with a damp cloth.




Task Seating




Lounge Seating

Fabric E Reflect


Brand:
Kvadrat




10000015379, 154




10000015380, 774



10000015381, 924



10000015382, 464



10000015383, 444

Composition: 100% Recycled Polyester

Weight: 430 g/lin.m, 13.9 oz/ly

Width: 140 cm, 55 in.

Abrasion Resistance: 100,000 Martindale, EN ISO 12947

Pilling: Dry 4-5 ISO 105-X12, Wet 4-5 ISO 105-X12

Flammability: AS/NZS 3837 class 1, ASTM E84 Class A Unadhered, ASTM E84 Class B Adhered, BS 5852 crib 5 with treatment *

BS 5852 part 1 with treatment *, EN 1021-1/2, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -

Maintenance: Should be cleaned regularly with a vacuum cleaner.

Can be cleaned by professional dry cleaning or by wiping with a damp cloth.




Task Seating




Lounge Seating

Fabric E Remix 3


Brand:
Kvadrat




10000011753, 842




10000011853, 743




10000012048, 662




10000012295, 123




10000012478, 933




10000012487, 242




10000013280, 422




10000015368, 733




10000015369, 836



10000015370, 133




10000015371, 113



10000015372, 923



10000015373, 346



10000015374, 653

Composition: 90% Wool, 10% Nylon

Weight: 140 cm, 55 in.

Width: 420 g/lin.m, 13.6 oz/ly

Abrasion Resistance: 100,000 Martindale, EN ISO 12947

Pilling: Dry 4-5 ISO 105-X12, Wet 3-5 ISO 105-X12

Flammability: AS/NZS 1530.3, AS/NZS 3837 class 2, ASTM E84 Class A Unadhered, ASTM E84 Class A Adhered, BS 5852 crib 5 with treatment *, BS 5852 part

1, EN 1021-1/2, EN 13501 B-s2, d0 wrapped, with treatment *, GB 50222 B1 with treatment (Chinese) *, IMO FTP Code 2010 Part 7 with treatment *, IMO FTP

Code 2010 Part 8, NF D 60 013, NFPA 260, ÖNORM B1/Q1, SN 198 898 5.3 with treatment *, UNI 9175 1IM, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -

Maintenance: Should be cleaned regularly with a vacuum cleaner.


Can be cleaned by professional dry cleaning or by wiping with a damp cloth.



Lounge Seating

Fabric E Onix


Brand:
Fabrimare




10000014843, 07




10000014844, 38



10000014845, 59



10000014846, 18



10000014847, 20



10000014848, 47

Composition: %68 PES, %24 PP, %8 CO NANOTECH

Weight: -

Width: 140 cm

Abrasion Resistance: 70,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5

Environment: -

FABRIC F



Task Seating




Environmentally




Lounge Seating

Fabric F Oceanic


Brand:
Camira




10000014311, OOC16




10000014314, OOC05




10000014318, OOC12




10000014321, OOC10




10000014319, OOC07




10000014312, OOC15




10000014313, OOC13




10000014315, OOC04




10000014325, OOC03



10000014316, OOC02




10000014320, OOC11




10000014322, OOC06




10000014317, OOC14



10000014324, OOC09



10000014323, OOC08



10000014326, OOC01

Composition: 100% post-consumer recycled polyester, including 50% SEAQUAL yarn.

Weight: 143/4 oz/sq yd ±5% (221/2 oz/running yd ±5%)

Width: 54 inches minimum

Abrasion Resistance: 100.000

Flammability: California Technical Bulletin 117 - 2013, BS 7176 Low Hazard, ASTM E84 Class 1 or A (Un-adhered)

Light Fastness: 4

Fastness to Rubbing: Dry: 4, Wet: 3

Maintenance: Water-based cleaning agent or solvent. Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Colour Matching: -

Environment: Certified to OEKO-TEX® Standard 100, Certified to Indoor Advantage™ Gold, Made from 100% post-consumer recycled polyester, Non metallic dyestuffs.




Task Seating




Lounge Seating

Fabric F Craggan Flax


Brand:
Camira




10000014327, CRA11




10000014328, CRA14




10000014329, CRA15




10000014330, CRA20




10000014331, CRA19




10000014332, CRA18




10000014333, CRA04




10000014334, CRA06




10000014335, CRA07



10000014336, CRA03



10000014337, CRA08




10000014339, CRA10



10000014340, CRA12



10000014341, CRA09



10000014338, CRA21

Composition: 85% Wool, 10% Flax, 5% Nylon

Weight: 181/2 oz/sq yd ±5% (28 oz/running yd ±5%)

Width: 54 inches minimum

Abrasion Resistance: 100.000

Flammability: California Technical Bulletin 117 - 2013, NFPA 260 + UFAC Class 1, BS 7176 Medium Hazard

Light Fastness: 4

Fastness to Rubbing: Dry: 4, Wet: 3

Maintenance: Water-based cleaning agent or solvent. Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Colour Matching: -

Environment: Certified to Indoor Advantage™ Gold, Contains wool and bast fiber.




Task Seating




Lounge Seating

Fabric F Steelcut Trio 3


Brand:
Kvadrat




10000012114, 453




10000012299, 213




10000012958, 576




10000015347, 686




10000015375, 236



10000015376, 113



10000015377, 176



10000015378, 105

Composition: 90% New Wool, 10% Nylon

Weight: 770 g/lin.m, 24.8 oz/ly

Width: 140 cm, 55 in.

Abrasion Resistance: 100,000 Martindale, EN ISO 12947

Pilling: Dry 4-5 ISO 105-X12, Wet 3-5 ISO 105-X12

Flammability: AS/NZS 1530.3, AS/NZS 3837 class 2, ASTM E84 Class B Unadhered, ASTM E84 Class B Adhered, BS 5852 crib 5 with treatment * BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, ÖNORM B1/Q1, SN 198 898 5.3 with treatment* UNI 9175 1IM, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -

Maintenance: Should be cleaned regularly with a vacuum cleaner. Can be cleaned by professional dry cleaning or by wiping with a damp cloth.




Task Seating




Lounge Seating

Fabric F Encircle


Brand:
Kvadrat



10000015188, 252



10000015189, 922



10000015190, 222

Composition: 100% Trevira CS

Weight: 560 g/lin.m, 18.1 oz/ly

Width: 140 cm, 55 in.

Abrasion Resistance: 80,000 Martindale, EN ISO 12947

Pilling: Dry 5 ISO 105-X12, Wet 5 ISO 105-X12

Flammability: AS/NZS 1530.3, AS/NZS 3837 class 2, ASTM E84 Class B Unadhered, ASTM E84 Class B Adhered, BS 5852 crib 5 with treatment * BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, ÖNORM B1/Q1, SN 198 898 5.3 with treatment* UNI 9175 1IM, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -

Maintenance: Should be cleaned regularly with a vacuum cleaner. Can be cleaned by professional dry cleaning or by wiping with a damp cloth.




Task Seating




Lounge Seating

Fabric F Memory 2


Brand:
Kvadrat




10000012001, 176




10000012116, 156




10000012695, 223




10000012763, 236



10000012767, 473



10000013113, 953



10000013144, 453

Composition: 100% Trevira CS

Weight: 650 g/lin.m, 21 oz/ly

Width: 140 cm, 55 in

Abrasion Resistance: 35,000 Martindale, EN ISO 12947

Pilling: Dry 4-5 ISO 105-X12, Wet 4-5 ISO 105-X12

Flammability: AS/NZS 3837 class 2, ASTM E84 Class B Unadhered, ASTM E84 Class B Adhered, BS 5852 crib 5 with treatment * BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, ÖNORM B1/Q1, SN 198 898 5.3 with treatment*

UNI 9175 1IM, US Cal. Bull. 117-2013

Light Fastness: -

Fastness to Rubbing: -


Maintenance: Should be cleaned regularly with a vacuum cleaner. Can be cleaned by professional dry cleaning or by wiping with a damp cloth.




Lounge Seating

Fabric F Credo


Brand:
Fabrimare




10000014825, 05




10000014826, 39




10000014827, 52



10000014828, 18



10000014829, 20



10000014830, 45

Composition: %55 PP, %39 PES, %6 CO, NANOTECH

Weight: -

Width: 140 cm

Abrasion Resistance: 100,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -


Pilling: 4/5

Environment: -




Fabric F Chic


Brand: Fabrimare



10000014849, 05



10000014850, 38



10000014854, 45




10000014852, 10



10000014853, 20

Composition: %53 PES, %34 PP, %13 CO NANOTECH
Weight: -
Width: 140 cm
Abrasion Resistance: 60,000
Flammability: -
Light Fastness: -
Fastness to Rubbing: -
Color Match: -
Pilling: 4/5
Environment: -




Fabric F Velvety


Brand: Fabrimare




10000014819, 07



10000014820, 38



10000014821, 52



10000014822, 18



10000014823, 26



10000014824, 47

Composition: % 91 PES, %9 CO NANOTECH
Weight: -
Width: 140 cm
Abrasion Resistance: 200,000
Flammability: -
Light Fastness: -
Fastness to Rubbing: -
Color Match: -
Pilling: 5
Environment: -




Fabric F Mirage

Brand: Fabrimare



10000014837, 10



10000014838, 32




10000014839, 54



10000014840, 11



10000014841, 07



10000014842, 45

Composition: %100 PES NANOTECH
Weight: -
Width: 140 cm
Abrasion Resistance: 100,000
Flammability: -
Light Fastness: -
Fastness to Rubbing: -
Color Match: -
Pilling: 4/5
Environment: -



Fabric F Massa

Brand: Fabrimare



10000014782, 537




10000014783, 48



10000014784, 19



10000014794, 538



10000014791, 540



10000014787, 532



10000014790, 37



10000014789, 78


Composition: %40 CO, %25 PC, %35 PL
Weight: -
Width: 140 cm
Abrasion Resistance: 25,000
Flammability: -
Light Fastness: -
Fastness to Rubbing: -
Color Match: -
Pilling: 4
Environment: -




Lounge Seating

Fabric F Twin

Brand:
Fabrimare




10000014831, 05




10000014832, 30




10000014833, 59



10000014834, 08



10000014835, 23



10000014836, 45

Composition: %76 PP, %17 PES, %7 CO NANOTECH

Weight: -

Width: 140 cm

Abrasion Resistance: 35,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4/5

Environment: -

FABRIC G



Cushion



Pouf

Fabric G Antico


Brand:
Fabrimare



10000014855, PAPAGALLO




10000014856, RIO




10000014858, TURRI 02



10000014859, SICIS



10000014860, ETRO 01



10000014861, ETRO 02



10000014862, ANTICO



10000014863, CAFFETANO



10000014864, CARPET



10000014865, TURRI 01



10000014867, ZEUGMA

Composition: %87 VI, %9 PES, %4 CO

Weight: -

Width: 140 cm

Abrasion Resistance: 27,000

Flammability: -

Light Fastness: -

Fastness to Rubbing: -

Color Match: -

Pilling: 4

Environment: -

GENUINE LEATHER



Task Seating



Lounge Seating



Cigarette & Match

Genuine Leather A Zenith


Brand:
Mastrotto



10000013508, 9028



10000013415, 9024



10000013904, 9033



10000013902, 9008



10000013905, 9012



10000013512, 9046




10000013906, 9031




10000013903, 9013




10000015295, 9040



10000014548, 9026



10000014910, 9001



10000013514, 9010



10000013989, 9032



10000013510, 9045

Composition: Zenith is a natural leather collection consisting of processed bovine hide of European origin.

Flesh thickness: 0,8 –1,00 mm.

Average hide size: 3,8 –4,0 m². Complete dyeing. These high-quality leathers have a semi-dull, waxy surface and a soft touch.

Flammability: EN 1021 / 1-2 (cigarette and match)

Light Fastness: ISO 105B02 ≥ 5 blue scale

Fastness to Rubbing: ISO 11640

CycleValue

Wet250 ≥4

Dry500 ≥4

Transpiration80 ≥4

(ISO 11641 pH8)

Flexing Endurance: ISO 5402 > 50.000 cycles

Colour Matching: Minor shade variations may occur.



Task Seating



Lounge Seating

Genuine Leather B Atlantic


Brand:
Mastrotto




10000015169, 504




10000015173, 517




10000015177, 518




10000015176, 519




10000015170, 526



10000015175, 542




10000015174, 548



10000013603, 511



10000015172, 535




10000015171, 513



10000015178, I803116



10000015179, I681743



10000015180, I621905

Composition: Atlantic is a natural leather series obtained from processed European cattle hides.

Flesh Thickness: 1.3 – 1.5 mm. Average hide dimensions: 4.8 – 5.0 m². Full dyeing. These high quality leathers have a semi-matte, waxy surface that is soft to the touch.

Flammability: BS EN 1021-1-2 (cigarette and match)

Light Fastness: UNI EN ISO 105B02 ≥ 5

Fastness to Rubbing: UNI EN ISO 11640

Tur Value

Wet 250 ≥4

Dry 500 ≥4

Perspiration 80 ≥4

(ISO 11641 pH 8)

Flexing Endurance: UNI EN ISO 5402 > 50,000 turns

Color Matching: Minor tone differences may occur.



Task Seating




Lounge Seating

Genuine Leather C Otis


Brand:
Mastrotto




10000015184, 5004



10000015183, 5006




10000015186, 5007




10000015182, 5005



10000015181, 5002



10000015187, 5008



10000015185, 5003

Composition: Otis is a natural leather series obtained from processed European cattle hides.

Flesh Thickness: 1.8 – 2.0 mm. Average hide dimensions: 4.8 – 5.0 m2. Full dyeing. These high quality leathers have a semi-matte, waxy surface with a soft touch.

Flammability: BS EN 1021-1-2 (cigarette and match)

Light Fastness: UNI EN ISO 105B02 ≥ 4

Fastness to Rubbing: UNI EN ISO 11640

Tur Value

Wet 80 ≥4

Dry 500 ≥4

Perspiration 50 ≥4

(ISO 11641 pH 8)

Flexing Endurance: UNI EN ISO 5402 > 50,000 turns

Color Matching: Minor tone differences may occur.

ARTIFICIAL LEATHER



Task Seating



Lounge Seating

Artificial Leather


Brand:
Örteks



10000014023, 61910



10000014022, 61897



10000014027, 61896




10000014025, 61912



10000014028, 61908



10000014024, 61909




10000014029, 61911




10000014026, 61895




10000015357, 64047



10000015353, 64075




10000015352, 64044



10000015356, 64076



10000015354, 64045



10000015355, 64046

Composition: 3% PU, 79% PVC, 18% Cotton Polyester

Weight: 674 g/m2

Thickness: 140 mm

Tensile strength: (Width) 460%120 / (Length) 420%115 (ISO 1421)

Tear strength: (Width) 45 (Length) minimum 55 (ISO 4674-1)

Flexing endurance: at 23°C minimum 100.000 flx. (ISO 5402)

Abrasion resistance: 50000 Martindale (ISO 5470-2)

Fastness to rubbing: 5 (ISO 105 - X12)

Light fastness: 5 (ISO 105-B02)

Maintenance: Do not use bleach or alcohol for cleaning. Keep away from direct sunlight.

In case of spills such as coffee, tea, etc, wipe clean using a highly absorbent cloth or paper towel. Clean without rubbing. Vacuum or brush using a soft brush for removing

surface dust. Applicable for all colors.



Task Seating



Lounge Seating



Anti Microbial



Cigarette & Match

Artificial Leather Vita


Brand:
Camira




10000012870, ITA03



10000012876, ITA02



10000012869, ITA11




10000012868, ITA08



10000012871, ITA09



10000012872, ITA18



10000012873, ITA19




10000012875, ITA22




10000012874, ITA15



10000012800, ITA23




10000012799, ITA04



10000012877, ITA01




10000012798, ITA07



10000012878, ITA10



10000012827, ITA14



10000012818, ITA12

Composition:

Surface: 98.5% PVC, 1.5% PU

Bottom Layer: 50% Polyester, 50% Cotton

Weight: 850g/m2 ±10%

Width: 140cm

Abrasion Resistance: 100.000

Pilling: Wet: 4, Dry: 4 (BS EN ISO 105 -X12)

Flammability: EN 1021 -1 Cigarette,

EN 1021 -2 Match,

BS 5852 Ignition Source 5,

ECE Regulation No 118.02,

Vita BS 7176 Low Hazard,

VitaBS 7176 Medium Hazard,

VitaFMVSS 302,

Vita ECE Reg. 118 Parts 1 & 2,

VitaFAR 25.853,

Vita NF P 95 503 M2

Light Fastness: 6

Fastness to Rubbing: Wet: 4, Dry: 4 (BS EN ISO 105 -X12)

Maintenance: Wipe with a damp cloth and warm soapy water. Improved resistance to alcohol but avoid regular use and remove residue where possible.

Colour Matching: -

Environment: Anti-microbial/Anti-fungal-AATCC 147:2011


MATERIALS

COLOURS & MATERIALS




LAMINATE


Laminate



3101
White



3153
Light Grey



3241
Grey



VT 925



VT 053



4598
Real Oak



4599
Dark Oak

VENEER

Veneer



10371
White Oak



10766
Smoke Oak




13991
Grey Oak




1-2805
Black Oak

METAL


Epoxy




3101
White




Satin Grey




Ral 7021
Anthracite




Ral 9005
Black



Ral 9002




Ral 9018




Ral 3001

Metal




Chrome




Nickel

Anodizing




Black




Satin Grey

MESH

Mesh




Black




Light Grey

MARBLE

Marble



Bruno Perla



Dark Emperador



Carrara White




Vega Light

LACQUERED


Lacquered



Matte White




Shiny White




Matte Black



Shiny Black




Matte Red




Matte Blue




Matte Green




Matte Orange



Matte Yellow




Matte Beige




Ral 7021

GLASS

Glass



White



Smoked



Black

FABRIC APPLICABILITY CHARTS

HOME

*Applicable fabrics are shown in green.

REVISION DATE: 01.07.2024	CAFFETANO (PATTERNED)	VITA (C)	LEATHER	
		ARTIFICIAL	ARTIFICIAL	GENUINE 2
SOFAS				
AVA S2	BACK CUSHION			
BABIL SERDIVAN S0				
BABIL SERHAS S0	BACK CUSHION			
REVAN S0				
BALLAD S0				
ALMOND S0				
ALTANA S0	OPTIONAL CUSHION			
CAPELLA S0				
DUENDE S0				
HENDEL S1				
ESSAOUIRA S1	CUSHION			
GAZEL S2				
MADRIGAL S1				
LAURA S0				
MADRIGAL CHESTER S1				
MÍLOS S0				
ROMA S0				
MIHRIMAH S2				
OSCAR S0	CUSHION			
AMOROSO S3	CUSHION			
VÍRASANA S5	BACK CUSHION			
DIVAN BABA S1				
SAVÍO S0				
ARMCHAIRS				
SOLE S0				
BOTERO S3				
HOMER S3				
HALIA (WOODEN LEG) S0				
MIRANDA S2				
HALIA BERGERE & POUF S0				
MIHRIMAH S3				
MONTE CRISTO S6				
CHAIRS				
HELEN S0				
ASANDA S2				
PINOCCHIO S0				
ASSOS S0				
DEMRE S1				
FABULA S0				
BEDS				
JULIET				
SUENIOS				
AMOS				
MESTRE S1 KAPİTONELİ				
COMPLEMENTARIES				
MICKY S0 POUF				
MOUSE S0 POUF				
MADRIGAL S1 POUF				
SURI POUF S2				
CUSHIONS (450X300 / 500x500 / 650x300 / 650x450 mm)				

FABRIC APPLICABILITY CHARTS

OFFICE

*Applicable fabrics are shown in green.

kolleksiyon

